

<b>TOC of Corelab</b>
Core splitter
Rock saw_sample
Drill press
Rock Saw_splitting room
dual blade rock saw
AMST track
AMST spectrophotometer
AMST height sensor
AMST mag Susc point sensor
DIS track
DIS camera

<b>A</b>	<b>Instrument</b>	<b>Core Splitter</b>
	<b>ODP #</b>	01159
	<b>Serial #</b>	R72949
	<b>Model</b>	<b>R72949KJ815</b>
	<b>Vendor</b>	<b>N/A</b>
	<b>Date of purchase</b>	<b>transferred from DSDP</b>
	<b>Date of installation</b>	<b>transferred from DSDP</b>
<b>B</b>	<b>Vendor manual</b>	<b>N/A</b>
	<b>schematic</b>	<b>N/A</b>
<b>C</b>	<b>Cookbook (STD)</b>	<b>N/A</b>
	<b>Cookbook (special)</b>	<b>N/A</b>
<b>D</b>	<b>Software</b>	<b>N/A</b>
	<b>version</b>	<b>N/A</b>
	<b>installation date</b>	<b>N/A</b>
<b>E</b>	<b>Instrument hardware setup</b>	<b>N/A</b>
	<b>Instrument upgrade</b>	<b>N/A</b>
<b>F</b>	<b>Maintenance log</b>	<b>N/A</b>
	<b>vendor repair log</b>	<b>N/A</b>
<b>G</b>	<b>Application/operational use</b>	<b>splitting the core</b>
	<b>sample type</b>	<b>N/A</b>
	<b>specification/accuracy</b>	<b>N/A</b>
<b>H</b>	<b>Spare parts</b>	<b>Siman</b>
	<b>Consumables</b>	Siman
	<b>Supporting system</b>	<b>Core Splitting Table</b>
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Felker Saw</b>
	<b>ODP #</b>	N/A
	<b>Serial#</b>	106685
	<b>Model</b>	<b>STM-37412</b>
	<b>Vendor</b>	<b>Felker Operations, Dresser</b>
	<b>Date of purchase</b>	N/A
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	analog
	<b>schematic</b>	in manual
<b>C</b>	<b>Cookbook (STD)</b>	N/A
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	N/A
	<b>version</b>	N/A
	<b>installation date</b>	N/A
<b>E</b>	<b>Instrument hardware setup</b>	N/A
	<b>Instrument upgrade</b>	N/A
<b>F</b>	<b>Maintenance log</b>	N/A
	<b>vendor repair log</b>	N/A
<b>G</b>	<b>Application/operational use</b>	Cutting hard rock and sediment samples
	<b>sample type</b>	N/A
	<b>specification/accuracy</b>	N/A
<b>H</b>	<b>Spare parts</b>	Siman
	<b>Consumables</b>	Siman
	<b>Supporting system</b>	Countertop
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Drill Press</b>
	<b>ODP #</b>	N/A
	<b>Serial #</b>	4006.P1082
	<b>Model</b>	<b>113.21378</b>
	<b>Vendor</b>	<b>Sears</b>
	<b>Date of purchase</b>	N/A
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	analog
	<b>schematic</b>	in manual
<b>C</b>	<b>Cookbook (STD)</b>	N/A
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	N/A
	<b>version</b>	N/A
	<b>installation date</b>	N/A
<b>E</b>	<b>Instrument hardware setup</b>	N/A
	<b>Instrument upgrade</b>	N/A
<b>F</b>	Maintenance log	N/A
	vendor repair log	N/A
<b>G</b>	<b>Application/operational use</b>	N/A
	<b>sample type</b>	N/A
	<b>specification/accuracy</b>	N/A
<b>H</b>	<b>Spare parts</b>	Siman
	<b>Consumables</b>	Siman
	<b>Supporting system</b>	N/A
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Felker Saw</b>
	<b>ODP #</b>	00346
	<b>Serial #</b>	not readable
	<b>Model</b>	<b>Felker 610 Tile Saw</b>
	<b>Vendor</b>	<b>Felker Operations, Dresser</b>
	<b>Date of purchase</b>	08/1984
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	analog
	<b>schematic</b>	in manual
<b>C</b>	<b>Cookbook (STD)</b>	N/A
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	N/A
	<b>version</b>	N/A
	<b>installation date</b>	N/A
<b>E</b>	<b>Instrument hardware setup</b>	N/A
	<b>Instrument upgrade</b>	N/A
<b>F</b>	Maintenance log	N/A
	vendor repair log	N/A
<b>G</b>	<b>Application/operational use</b>	<b>splitting of hard rock pieces</b>
	<b>sample type</b>	N/A
	<b>specification/accuracy</b>	N/A
<b>H</b>	<b>Spare parts</b>	Siman
	<b>Consumables</b>	Siman
	<b>Supporting system</b>	N/A
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Felker Saw</b>
	<b>ODP #</b>	N/A
	<b>Serial #</b>	N/A
	<b>Model</b>	<b>Felker 610 Tile Saw</b>
	<b>Vendor</b>	<b>Felker Operations, Dresser Industries</b>
	<b>Date of purchase</b>	N/A
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	analog
	<b>schematic</b>	in manual
<b>C</b>	<b>Cookbook (STD)</b>	N/A
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	N/A
	<b>version</b>	N/A
	<b>installation date</b>	N/A
<b>E</b>	<b>Instrument hardware setup</b>	N/A
	<b>Instrument upgrade</b>	N/A
<b>F</b>	Maintenance log	N/A
	vendor repair log	N/A
<b>G</b>	<b>Application/operational use</b>	<b>Cutting rock/sediment sample cubes</b>
	<b>sample type</b>	
	<b>specification/accuracy</b>	
<b>H</b>	<b>Spare parts</b>	Siman
	<b>Consumables</b>	Siman
	<b>Supporting system</b>	<b>Countertop</b>
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>AMST Track</b>	
	<b>ODP #</b>	04883	
	<b>Serial #</b>	NA	
	<b>Model</b>	<b>NA</b>	
	<b>Vendor</b>	<b>manufactured, motion controls</b>	
	<b>Date of purchase</b>	06/1997	
	<b>Date of installation</b>	06/1997	
<b>B</b>	<b>Vendor manual</b>	analog	
	<b>schematic</b>	in manual	
<b>C</b>	<b>Cookbook (STD)</b>	AMST User's guide, Version Leg 188	
	<b>Cookbook (special)</b>	N/A	
<b>D</b>	<b>Software</b>	<b>AT 6400 (controls the motion of the track)</b>	
	<b>version</b>		
	<b>installation date</b>		
<b>E</b>	<b>Instrument hardware setup</b>	document	
	<b>Instrument upgrade</b>	N/A	
<b>F</b>	<b>Maintenance log</b>	N/A	
	<b>vendor repair log</b>	N/A	
<b>G</b>	<b>Application/operational use</b>	N/A	
	<b>sample type</b>	N/A	
	<b>specification/accuracy</b>	N/A	
<b>H</b>	<b>Spare parts</b>		non-Siman
	<b>Consumables</b>		non-Siman
	<b>Supporting system</b>	<b>Spectrophotometer and Magnetic Susceptibility Point Sensor</b>	
<b>Comments</b>		Consists of several components with their own ODP numbers.	
		Linear Drive, ODP# 04876	
		Linear Drive, ODP# 04877	
		Daedal Cross Roller Positioning Table, ODP# 04880	
		Archive MST Bench, ODP# 04883	
		Daedal Rotary Table, ODP# 04888	
		Controller for Archive MST Bench, ODP# 05080	

<b>A</b>	<b>Instrument</b>	<b>Spectrophotometer</b>	
	<b>ODP #</b>	04835	
	<b>Serial #</b>	20611002	
	<b>Model</b>	<b>Minolta CM-2002</b>	
	<b>Vendor</b>		
	<b>Date of purchase</b>	05/1997	
	<b>Date of installation</b>	N/A	
<b>B</b>	<b>Vendor manual</b>	N/A	
	<b>schematic</b>	N/A	
<b>C</b>	<b>Cookbook (STD)</b>	AMST User's guide, Version Leg 188	
	<b>Cookbook (special)</b>	N/A	
<b>D</b>	<b>Software</b>	<b>AMST (LabView)</b>	
	<b>version</b>	N/A	
	<b>installation date</b>	N/A	
<b>E</b>	<b>Instrument hardware setup</b>	N/A	
	<b>Instrument upgrade</b>	N/A	
<b>F</b>	<b>Maintenance log</b>	N/A	
	<b>vendor repair log</b>	N/A	
<b>G</b>	<b>Application/operational use</b>	N/A	
	<b>sample type</b>	N/A	
	<b>specification/accuracy</b>	N/A	
<b>H</b>	<b>Spare parts</b>	N/A	non-Siman
	<b>Consumables</b>	N/A	non-Siman
	<b>Supporting system</b>	<b>AMST Track</b>	
	<b>Comments</b>		



<b>A</b>	<b>Instrument</b>	<b>Laser Height Sensor and Controller</b>
	<b>ODP #</b>	05401, 05402
	<b>Serial #</b>	N/A
	<b>Model</b>	N/A
	<b>Vendor</b>	<b>Keyence</b>
	<b>Date of purchase</b>	04/1999
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	N/A
	<b>schematic</b>	N/A
<b>C</b>	<b>Cookbook (STD)</b>	AMST User's guide, Version Leg 188
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	<b>AMST (LabView)</b>
	<b>version</b>	
	<b>installation date</b>	
<b>E</b>	<b>Instrument hardware setup</b>	N/A
	<b>Instrument upgrade</b>	N/A
<b>F</b>	<b>Maintenance log</b>	N/A
		N/A
	<b>vendor repair log</b>	N/A
		N/A
<b>G</b>	<b>Application/operational use</b>	<b>Section half height detection for the Spectrophotometer and the Mag Susc Point Sensor</b>
	<b>sample type</b>	N/A
	<b>specification/accuracy</b>	N/A
<b>H</b>	<b>Spare parts</b>	N/A
	<b>Consumables</b>	N/A
	<b>Supporting system</b>	<b>AMST Track</b>
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Point Sensor</b>
	<b>ODP #</b>	04710, 04711
	<b>Serial #</b>	207, N/A
	<b>Model</b>	<b>MS2F</b>
	<b>Vendor</b>	<b>Bartington</b>
	<b>Date of purchase</b>	11/1996, 01/1997
	<b>Date of installation</b>	11/1996, 01/1997
<b>B</b>	<b>Vendor manual</b>	N/A
	<b>schematic</b>	N/A
<b>C</b>	<b>Cookbook (STD)</b>	AMST User's guide, Version Leg 188
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	<b>AMST (LabView)</b>
	<b>version</b>	
	<b>installation date</b>	
<b>E</b>	<b>Instrument hardware setup</b>	N/A
	<b>Instrument upgrade</b>	N/A
<b>F</b>	<b>Maintenance log</b>	N/A
	<b>vendor repair log</b>	N/A
<b>G</b>	<b>Application/operational use</b>	<b>magnetic susceptibility data acquisition</b>
	<b>sample type</b>	N/A
	<b>specification/accuracy</b>	N/A
<b>H</b>	<b>Spare parts</b>	N/A
	<b>Consumables</b>	N/A
	<b>Supporting system</b>	<b>AMST Track</b>
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Digital Imaging Track</b>
	<b>ODP #</b>	06069
	<b>Serial #</b>	N/A
	<b>Model</b>	N/A
	<b>Vendor</b>	<b>Geotek</b>
	<b>Date of purchase</b>	08/2001
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	analog
	<b>schematic</b>	N/A
<b>C</b>	<b>Cookbook (STD)</b>	latest version, Geotek 2002
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	<b>Geotek Digital Camera Program,</b>
	<b>version</b>	<b>MrSid</b>
	<b>installation date</b>	
<b>E</b>	<b>Instrument hardware setup</b>	document
	<b>Instrument upgrade</b>	N/A
<b>F</b>	<b>Maintenance log</b>	N/A
	<b>vendor repair log</b>	N/A
<b>G</b>	<b>Application/operational use</b>	<b>Digital Imaging of Cores</b>
	<b>sample type</b>	<b>N/A</b>
	<b>specification/accuracy</b>	<b>N/A</b>
<b>H</b>	<b>Spare parts</b>	non-Siman
	<b>Consumables</b>	non-Siman
	<b>Supporting system</b>	<b>Digital Imaging Track</b>
	<b>Comments</b>	

<b>A</b>	<b>Instrument</b>	<b>Digital Imaging Camera</b>
	<b>ODP #</b>	06070
	<b>Serial #</b>	N/A
	<b>Model</b>	N/A
	<b>Vendor</b>	<b>Geotek</b>
	<b>Date of purchase</b>	08/2001
	<b>Date of installation</b>	N/A
<b>B</b>	<b>Vendor manual</b>	analog
	<b>schematic</b>	N/A
<b>C</b>	<b>Cookbook (STD)</b>	latest version, Geotek 2002
	<b>Cookbook (special)</b>	N/A
<b>D</b>	<b>Software</b>	<b>Geotek Digital Camera Program, MrSid</b>
	<b>version</b>	
	<b>installation date</b>	
<b>E</b>	<b>Instrument hardware setup</b>	document
	<b>Instrument upgrade</b>	N/A
<b>F</b>	<b>Maintenance log</b>	N/A
	<b>vendor repair log</b>	N/A
<b>G</b>	<b>Application/operational use</b>	<b>Digital Imaging of Cores</b>
	<b>sample type</b>	N/A
	<b>specification/accuracy</b>	N/A
<b>H</b>	<b>Spare parts</b>	non-Siman
	<b>Consumables</b>	non-Siman
	<b>Supporting system</b>	<b>Digital Imaging Track</b>
	<b>Comments</b>	